



PROTIVKLIZNI LIMOVI


Protivklizni limovi i gazišta predstavljaju kombinaciju čvrstine i sigurnosti sa sledećim karakteristikama:

- 360° bez klizanja - zahvaljujući poluizvučenim otvorima
- Drenažni otvori na gazištu omogućavaju odvod tečnosti (voda, ulje...)
- Zaštita za štikle - otvori prečnika ≤ 8 mm su pogodni za žensku obuću tj. Onemogućeno je zaglavljivanje štikli
- Antipanic koeficijent svetle površine je nizak (od 5% do 15%), ograničava transparentnost i pruža osećaj sigurnosti na većim visinama
- Protivklizni limovi i gazišta sa malim otvorima (koeficijent svetle površine) su pogodni za upotrebu na mestima gde postoji opasnost od plamena (naftne bušotine, rafinerije..)
- Idealni su za navoze autoprikolica, gazišta, stepenike, skele, platforme, spoljnu i unutrašnju upotrebu u građevini i industriji
- Materijal: čelični lim DC01 - hladnovaljani, S235 - toplovaljani, prohrom, aluminijum (*ostali materijali po zahtevu)
- Debljina lima: od 1,5 mm do 3 mm (*druge debljine po zahtevu)
- Dimenzija tabli: 1000x2000 mm, 1250x2000 mm, 1250x2500 mm, 1500x3000 mm i dimenzije po zahtevu
- Dodatne operacije: sečenje i savijanje po meri

ANTI-SKID PERFORATION

Anti-skid perforation represent a combination of strength and safety with the following characteristics:

- 360° without slipping - thanks to the semi-extruded openings
- Drainage openings on the treads allow for the drainage of liquids (water, oil.)
- High heel protection - openings with the diameter of ≤ 8 mm are suitable for women's footwear with high heels, i.e. They prevent high heels from getting stuck in the holes
- The anti-panic coefficient of the light-passing surface is low (from 5% to 15%), limiting transparency and providing a sense of security at higher altitudes
- Anti-slip sheets and treads with small openings (light-passing surface coefficient) are suitable for use in places where there is a risk of open flames (oil wells, refineries.)
- They are ideal for trailer ramps, treads, stairs, scaffolds, platforms, outdoor and indoor use in construction and industry
- Material: steel sheet DC01 - cold-rolled, S235 - hot-rolled, stainless steel, aluminum (* other materials on request)
- Sheet thickness: 1.5 mm to 3 mm (* other thicknesses on request)
- Sheet dimensions: 1000x2000 mm, 1250x2000 mm, 1250x2500 mm, 1500x3000 mm and other dimensions on request
- Additional operations: cutting and bending to order




www.perfom.rs • Gazište PKG1 - Ri15 R8 • razmera: 1:1

*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm




www.perfom.rs • Gazište PKG2 - Ri8 R8 • razmera: 1:1

*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm




www.perfom.rs • Gazište PKG3 - Ri13 R8 • razmera: 1:1

*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohm, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm




www.perform.rs • Gazište PKG4 - LRZ 46x12 • razmera: 1:1

*DEBLJINA: standardno 3 mm, druge po zahtevu / THICKNESS: standard 3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm




www.perfom.rs • Gazište PKG5 - Ri8.5 R5 • razmera: 1:1

*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohm, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm




www.perfom.rs • Gazište PKG6 - Ri8.5 • razmera: 1:1

*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm




www.perfom.rs • Gazište PKG7 - LRP 22x50 • razmera: 1:1

*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm



www.perform.rs •


Gazište PKG8

• razmera: 1:1

*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm



www.perfom.rs •


Gazište PKG9

• razmera: 1:1


*DEBLJINA: standardno 2/3 mm, druge po zahtevu / THICKNESS: standard 2/3 mm, other on request

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm



Primeri: Standardno savijanje profila



Primer: Specijalno savijanje profila - po narudžbini



www.perfom.rs •

Savijanje profila •

*DEBLJINA: standardno 2/2,5/3 mm, druge po zahtevu 4/5 mm / THICKNESS: standard 2/2,5/3 mm, other on request 4/5 mm

*MATERIJAL: čelik toplovaljani - hladnovaljani, prohrom, aluminijum / MATERIAL: steel hot - cold rolled, stainless steel, aluminium

*DIMENZIJA: table max 1500 x 3000 mm / DIMENSION: sheet max. 1500 x 3000 mm